

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S17	87	707/202.ccls. AND (predetermined NEAR8 log\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 19:10
S18	56	707/202.ccls. AND (predetermined NEAR8 (logs logging logged log))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 19:11
S19	1443	"707"/\$.ccls. AND ((log logs logging logged) NEAR6 only)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:05
S1	2	("6775676").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:05
S21	388	"707"/\$.ccls. AND ((log logs logging logged) NEAR6 (predetermined predefined))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:07
S22	15	"707"/\$.ccls. AND ((log logs logging logged) NEAR6 (predetermined predefined) NEAR4 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:09
S23	86	"707"/\$.ccls. AND ((log logs logging logged) NEAR6 (transaction\$1 NEAR4 type\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:20
S25	0	(user\$1 client\$1) WITH (select\$3 decid\$4 choos\$3) WITH (transaction\$1 NEAR2 type\$1) WITH log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:22
S24	0	(user\$1 client\$1) NEAR4 (select\$3 decid\$4 choos\$3) NEAR4 (transaction\$1 NEAR2 type\$1) NEAR4 log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:22
S26	17	(user\$1 client\$1) WITH (select\$3 decid\$4 choos\$3) WITH (transaction\$1 NEAR2 type\$1) WITH log\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:25

EAST Search History

S20	16	"707"/\$.ccls. AND ((log logs logging logged) NEAR6 only NEAR4 add\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:25
S27	0	((log logs logging logged) NEAR6 only NEAR4 ((transaction\$1 quer\$4) NEAR4 add))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:26
S28	17	((log logs logging logged) NEAR6 only NEAR4 ((transaction\$1 quer\$4) NEAR4 delet\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:29
S30	343	((log logs logging logged) NEAR2 type\$1) NEAR8 (user\$1 client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:30
S29	4982	((log logs logging logged) NEAR2 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:30
S32	404	(transaction\$1 NEAR4 (table\$1 log\$1)) NEAR4 only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:34
S31	37	((log logs logging logged) NEAR2 type\$1) NEAR8 ((user\$1 client\$1) NEAR4 (select\$5 determin\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:34
S33	197	S32 AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 21:56
S35	78	(transaction\$1 NEAR4 type\$1) AND ((transaction\$1 NEAR2 (table\$1 log\$1)) WITH condition\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 22:01
S34	25	(transaction\$1 NEAR4 type\$1) AND ((transaction\$1 NEAR2 (table\$1 log\$1)) WITH (criteria))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 22:01
S36	48	transaction\$1 NEAR4 ((log logging) NEAR4 (condition\$1 criteria))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 22:43

EAST Search History

S38	7481	transaction\$1 NEAR6 (condition\$1 criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 22:48
S37	271	transaction\$1 NEAR4 (log logs logging) NEAR4 event\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 22:48
S39	811	(transaction\$1 NEAR4 (stor\$3 record\$3 log logs logging logged)) NEAR6 (condition\$1 criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 22:49
S40	90	S39 AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 22:57
S41	46	S39 AND "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:02
S42	256	S39 AND "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:04
S43	56	"707"/\$.ccls. AND (journal\$3 NEAR4 (condition\$1 criteria))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:09
S44	132	"707"/\$.ccls. AND (journal\$3 NEAR4 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:19
S45	1	"6119117".pn. AND (specif\$7 NEAR4 operation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:22
S47	1291	S46 AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:24
S46	17335	((transaction\$1 operation\$1 action\$1) NEAR4 type\$1) WITH (log logs logging logged journal\$3 stor\$3 record\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:24

EAST Search History

S51	58	S50 AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:25
S49	217	S48 AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:25
S48	2687	((transaction\$1 operation\$1 action\$1) NEAR4 type\$1) WITH (log logs logging logged journal\$3 stor\$3 record\$3) WITH (specif\$4 select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:25
S53	271	S52 AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:26
S52	1379	((transaction\$1 operation\$1 action\$1) NEAR4 type\$1) WITH (log logs logging logged journal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:26
S50	387	((transaction\$1 operation\$1 action\$1) NEAR4 type\$1) WITH (log logs logging logged journal\$3 stor\$3 record\$3) WITH (specif\$4 select\$4) WITH (user\$1 client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:27
S54	45	((transaction\$1 operation\$1 action\$1) NEAR4 type\$1) WITH (log logs logging logged journal\$3) WITH (specif\$4 select\$4) WITH (user\$1 client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:30
S55	15	((transaction\$1 operation\$1 action\$1) NEAR4 type\$1) NEAR10 ((log logs logging logged journal\$3) NEAR6 (condition\$1 criteria))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:34
S57	1	"7069444".pn. AND type\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:37
S56	10	((user\$1 client\$1) NEAR4 (specif\$4 select\$3) NEAR4 ((transaction\$1 operation\$1 action\$1) NEAR4 type\$1)) NEAR10 (log logs logging logged journal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 23:37